

Pulse

Electronic soul, tasteful feeling



Crafted for Every Taste

Crafted For Every Taste

The perfect balance between performance and functionality

When designing our new grinder, we have put all of background as a professional coffee machine manufacturer. Thus, Pulse was born not only to perfectly suit our espresso coffee machines, but to introduce a perfect balance between performance and functionality within the grinding process:

- High speed grinder
- 65 and 75 mm Crem Tech™ design flat burrs
- Step less micrometric grinding adjustment
- High resolution display





High performance grinding system

- 65 and 75 mm flat burrs.
- Hardened steel burrs. Titanium and Red Speed special coatings available.
- High precision and step less micro adjustment.
- High grinding speed up to 5.5 gr per second with 0.2 gr consistency (Pulse 75 HS).
- Noise reduction.

Electronics & functionality

- Easy-to-use high resolution digital display.
- Counters.
- Dosing.
- Single or double shot.
- Continuous / Start & Stop button.
- Hands free system and adjustable fork in height and outlet to fit different portafilters.
- Portafilter LED light.

Customization

- Matt black as per standard. Other colours available.
- Transparent Kostil B hopper with grey-smoky finish as an optional.
- Branding area.

Versions & options

Pulse 65 HS

Medium duty professional coffee grinder with 65mm hardened steel flat burrs.

Pulse 75 HS

Heavy duty professional coffee grinder with 75 mm CremTech™ flat burrs.

Options:

- Smoked hopper
- 2 Kg hopper
- Titanium coated burrs (increased endurance up to 2,000 Kg)
- Red Speed coated burrs (increased endurance up to 3,000 Kg)
- Custom stickers
- Metallic plate
- 57 mm flat base metallic tamper
- Powder coating:

● Matt black (Standard)

○ White ● Green ● Ferrari red

● Grey ● Blue



Technical specifications



	Pulse 65 HS	Pulse 75 HS
Height, width, depth	559, 222, 263 mm 22, 8.7, 10.3"	559, 222, 263 mm 22, 8.7, 10.3"
Weight	11.5 Kg 25.3 lb	11.5 Kg 25.3 lb
Power ratings	220-240V - 50 Hz 220V - 60 Hz 110-120V - 60 Hz	220-240V - 50 Hz 220V - 60 Hz 110-120V - 60 Hz
Motor power	510W	900W
Burrs size	65 mm	75 mm
Burrs type	Flat	Flat
Burrs made of	Hardened Steel	Hardened Steel
Display	Digital	Digital
Dose mode	1, 2, c, +, - (5 Buttons)	1, 2, c, +, - (5 Buttons)
Hopper size	1.2 Kg (Standard) 2 Kg (Option)	1.2 Kg (Standard) 2 Kg (Option)
Grinding Adjustment	Micrometric Step Less	Micrometric Step Less
Grinding Speed	3 gr/sec	5.5gr/sec
Consistency @ 7 gr	0.2 gr	0.2 gr
RPM / DB Max	1310-1400 / 55-65	1310-1400 / 55-65



Standard Features

- 65 and 75 mm flat burrs.
- High precision and step less micro adjustment.
- High grinding speed up to 5.5 gr/sec (Pulse 75 HS) 0.2 gr consistency.
- Noise reduction.
- Easy-to-use digital display to set doses and counters.
- Single or double shot.
- Continuous / Start & Stop button.
- Hands free system and adjustable fork in height and outlet to fit different portafilters.
- Portafilter LED light.

Options

- Smoked hopper
- 2 Kg hopper
- Titanium coated burrs (increased endurance up to 2,000 Kg)
- Red Speed coated burrs (increased endurance up to 3,000 Kg)
- Custom stickers
- Metallic plate
- 57 mm flat base metallic tamper
- Powder coating:
 - Matt black (Standard)
 - White
 - Green
 - Ferrari red
 - Grey
 - Blue

NOTE: Please check your regional price list for available versions/options and part numbers.

v2020/03PulseBroCenEN